



**KENNEY**  
OUTDOOR SOLUTIONS

---

**HOLIDAY AND SPECIAL EVENT  
LIGHTING PRODUCTS**



**Professional Grade Products**  
Commercial . Residential . Municipalities . Parks . Events

[WWW.KENNEYOUTDOORSOLUTIONS.COM](http://WWW.KENNEYOUTDOORSOLUTIONS.COM)

## Professional Quality LED Greenery



GAR914UORH	9' x 14" Unlit Deluxe Oregon Fir Garland; 280 Tips
WREATH24UORH	24" WREATH Unlit Deluxe Oregon Fir Wreath; 110 Tips
WREATH36UORH	36" WREATH Unlit Deluxe Oregon Fir Wreath; 110 Tips
WREATH48UORH	48" WREATH Unlit Deluxe Oregon Fir Wreath; 400 Tips
LEDTREE75	7.5' TREE PRELIT W/ 5MM LED 1197 TIPS 750 LT WRM WHT
LEDTREE95	9.5' TREE PRELIT W/ 5MM LED 2189 TIPS 1200 LT WRM WHT
LEDTREE12	12' TREE PRELIT W/ 5MM LED 3945 TIPS 2100 LT WRM WHT
LEDGAR914H	9x14" GARLAND PRELIT W/ 5MM LED 280 TIPS 100 LT WRM WHT
LEDWREATH24H	24" WREATH PRELIT W/ 5MM LED 110 TIPS 35 LT WRM WHT
LEDWREATH36H	36" WREATH PRELIT W/ 5MM LED 300 TIPS 100 LT WRM WHT
LEDWREATH48H	48" WREATH PRELIT W/ 5MM LED 400 TIPS 200 LT WRM WHT
LEDWREATH60H	60" WREATH PRELIT W/ 5MM LED 800 TIPS 400 LT WRM WHT
LEDWREATH72H	72" WREATH PRELIT W/ 5MM LED 1200 TIPS 600 LT WRM WHT

## C7 & C9 Socket Wire, Lamp Cord Wire



C7100G	C7 100' 18awg, SPT-1 cord; 12" spacing; 20' Lead; Grn Wire
C7100012G	C7 1000' 18awg spool, 12" spacing; Grn Cord; Grn Sockets
C7100012W	C7 1000' 18awg spool, 12" spacing; Wht Cord; Wht Sockets
C7SOCKETG	C7 replacement socket, green (100 per bag)
C9100G	C9 100' 18awg, SPT-1 cord; 12" spacing; 20' Lead; Grn Wire
C9100012G	C9 1000' 18awg spool, 12" spacing; Grn Cord; Grn Sockets
C9100012W	C9 1000' 18awg spool, 12" spacing; Grn Cord; Wht Sockets
C9SOCKETG	C9 replacement socket, green (100 per bag)
WIRE0250GRN	250' Spool 18 awg SPT-1 wire; No sockets; Green
WIRE0250WHT	250' Spool 18 awg SPT-1 wire; No sockets; White
WIRE1000GRN	1000' Spool 18 awg SPT-1 wire; No sockets; Green

## Commercial-Grade LED Light Stands and Plugs/Connectors (M5, C7, and C9)



M5 25L with colors:  
Warm White  
Pure White  
5-Multi  
Red  
Blue  
Green



C7 25L with colors:  
Warm White  
Pure White  
5-Multi  
Red  
Blue  
Green



C9 25L with colors:  
Warm White  
Pure White  
5-Multi  
Red  
Blue  
Green



C05026



C05027






C05065RY



C05007, C05038, C05044


C41393RY	M5, 25L light set - 20 gauge wire	Warm White
C41313RY	M5, 25L light set - 20 gauge wire	Pure White
C41317RY	M5, 25L light set - 20 gauge wire	5-Multi
C79302RY	C7, 25L light set - 20 gauge wire	Red
C79311RY	C7, 25L light set - 20 gauge wire	Blue
C79314RY	C7, 25L light set - 20 gauge wire	Green
C79393RY	C7, 25L light set - 20 gauge wire	Warm White
C79313RY	C7, 25L light set - 20 gauge wire	Pure White
C79317RY	C7, 25L light set - 20 gauge wire	5-Multi
C85302RY	C9, 25L light set - 20 gauge wire	Red
C85311RY	C9, 25L light set - 20 gauge wire	Blue
C85314RY	C9, 25L light set - 20 gauge wire	Green
C85393RY	C9, 25L light set - 20 gauge wire	Warm White
C85313RY	C9, 25L light set - 20 gauge wire	Pure White
C85317RY	C9, 25L light set - 20 gauge wire	5-Multi
C05065RY	Adaptor-Power Cord 5 AMP- #20	Green
C05007	12' - #18 gauge spacer wire	Green
C05038	20' - #18 gauge spacer wire	Green
C05044	50' - #18 gauge spacer wire	Green
C05027	X Connector-Triple tap	Green
C05026	Y Connector	Green

## LED Icicle Lights and Net Lights



88647R	LED Icicle Lights, 70L, 7.5' Long, 6" Spacing White Wire	5-Multi
88694R	LED Icicle Lights, 70L, 7.5' Long, 6" Spacing White Wire	Warm White
LEDNETMUL	LED Net Lights, 100L, 4' x 6', 5mm Green Wire	5-Multi
LEDNETWW	LED Net Lights, 100L, 4' x 6', 5mm Green Wire	Warm white

## LED Snowflakes (Blue Snowflake also available...call for price)



CSLED8024CW	1/2" (13mm) 24" LED SNOWFLAKE MOTIF	Cool White
CSLED8036WW	1/2" (13mm) 36" LED SNOWFLAKE MOTIF	Warm White
CSLED8036CW	1/2" (13mm) 36" LED SNOWFLAKE MOTIF	Cool White

## Standard-Grade LED M5 and 70L Light Stands -23.5' Length



41693RB	Standard- Grade LED: M5, 70L, 4" Spacing Polybagged	Warm White
41613RB	Standard- Grade LED: M5, 70L, 4" Spacing Polybagged	Pure White
41617RB	Standard- Grade LED: M5, 70L, 4" Spacing Polybagged	5-Multi

## Standard-Grade LED 5MM 6" Spacing 50L Light Strands - 25' Length



5MM50WW	5MM,50L - WARM WHITE LED, FW,6" SPC,GRN WIRE, BAG	Warm White
5MM50CW	5MM,50L - COOL WHITE LED, FW,6" SPC,GRN WIRE, BAG	Cool White
5MM50GRN	5MM,50L - GREEN LED, FW,6" SPC,GRN WIRE, BAG	Green
5MM50BLU	5MM,50L - BLUE LED, FW,6" SPC,GRN WIRE, BAG	Blue
5MM50MULTI	5MM,50L - MULTI LED, FW,6" SPC,GRN WIRE, BAG	Multi
5MM50RED	5MM,50L - RED LED, FW,6" SPC,GRN WIRE, BAG	Red

\*\*Other colors available by special order

## Red Bows, Mounting Clips & Stakes, Accessories



FEMALE400

MALE400

FEMALEINLINEG



39001Q



39007Q



39032



39177



MAGCLIPC7 OR C9

BOW126	11" x 16" Outdoor Red Velvet Bow USE ON GARLAND	Each
BOW131	10" x 22" Outdoor Red Velvet Bow USE ON 36" WREATH	Each
BOW134	15" x 28" Outdoor Red Velvet Bow USE ON 48" WREATHS	Each
BOW1135	18" x 52" Outdoor Red Velvet Bow USE ON 60" & 72" WREATHS	Each
FEMALE400	Female Slide On Polarized Plug; SPT-1; Green	Each/Bag
MALE400	Male Slide On Polarized Plug; SPT-1; Green	Each/Bag
FEMALEINLINEG	Slide-On In-Line Outlet; 10-amp; Green	Each/Bag
SS39001Q	Shingle Speed Tab C6/C7/C9 (100 pcs/bag)	Bag
SS39032	All-In-One Clip (2000 pcs/case) <b>MOST POPULAR</b>	Bag
SSMAGCLIPC7	Mag Clip for C7 socket attachment on ferrous metal (100 pcs/bag)	Bag
SSMAGCLIPC9	Mag Clip for C9 socket attachment on ferrous metal (100 pcs/bag)	Bag
39001Q	Shingle Speed Tab C6/C7/C9 (500 pcs/case)	Case Only
39007Q	Parapet Clip (500 pcs/case)	Case Only
39032	All-In-One Clip (2000 pcs/case) <b>MOST POPULAR</b>	Case Only

## Commercial Grade LED C9 Retro-fit Bulbs - 25/box or 2000/case



LEDC7WWD	C7 LED Retro-fit bulb, 3 diodes	Warm White
LEDC7CWD	C7 LED Retro-fit bulb, 3 diodes	Cool White
LEDC7BLUD	C7 LED Retro-fit bulb, 3 diodes	Blue
LEDC7GRND	C7 LED Retro-fit bulb, 3 diodes	Green
LEDC75MULTID	C7 LED Retro-fit bulb, 3 diodes	5-Multi
LEDC7REDD	C7 LED Retro-fit bulb, 3 diodes	Red
LEDC9WWD	C9 LED Retro-fit bulb, 5 diodes	Warm White
LEDC9CWD	C9 LED Retro-fit bulb, 5 diodes	Cool White
LEDC9BLUD	C9 LED Retro-fit bulb, 5 diodes	Blue
LEDC9GRND	C9 LED Retro-fit bulb, 5 diodes	Green
LEDC95MULTID	C9 LED Retro-fit bulb, 5 diodes	5-Multi
LEDC9REDD	C9 LED Retro-fit bulb, 5 diodes	Red

## Timers, Extension Cords, and More Accessories



EXTMD20G



EXTMD40G



EXTMD80G



SPLITGRNB



TIME100



TIME200



TIME300



TIME400

SSSOFT	Seasonal Source Professional Design Software for Windows
ACSS	Seasonal Source Basic Light Controller
EXTMD20G	20-ft., Medium Duty Extension; Green wire
EXTMD40G	40-ft., Medium Duty Extension; Green wire
EXTMD80G	80-ft., Medium Duty Extension; Green wire
TIME100	15 AMP Heavy Duty outdoor mechanical timer w/2 outlets
TIME200	15 AMP Heavy Duty outdoor digital timer
TIME300	15 AMP Heavy Duty outdoor timer w/photocell and 2 outlets
TIME400	15 AMP Heavy Duty outdoor timer analog 3 outlet w/ground stake
SPLITGRNB	Heavy Duty Grounded 3-Way Splitter; 15 amps; Green; Bulk

### Important Numbers to remember

#### LED LIGHT STRANDS

Standard Grade M5 23.5' 4" Spacing 70ct: 4.8 watts, .04 amps  
 Standard Grade 5MM 25' 6" Spacing 50ct: 5.3 watts, .045 amps  
 Commercial 9' 4" 25ct: 3.6 watts, .03 amps  
 Commercial 25' 12" 25ct: 3.6 watts, .03 amps

#### LED C7 & C9 12" Spacing Roof Lights

LED C7/C9 Retro Fit Bulbs draw .96 watts or 0.008 amps  
 Recommended to not to exceed 600' of C7/C9 wire in one direction from a power source.  
 600' would be 4.8 amps allowing room for Voltage Drop on wire

### Common Questions

Can LED Strands Be Cut?

-Commercial and Standard LED Strands Can NOT be cut.

How many Standard Grade 50/70 count strands can be plugged into one outlet?

-300 strands (For a total of 12 amps)

How many strands of lights can you connect end-to-end?

-You can connect 58 strands of commercial sets end-to-end

-You can connect 43 strands of standard sets end-to-end

\*WE RECOMMEND YOU RUN THESE NUMBERS PAST YOUR ELECTRICIAN BEFORE ANY INSTALLS

## Patio, Festival and Event Lighting



Black Socket Wire

### COMMERCIAL-GRADE PATIO LIGHTING WIRE

This heavy-duty wire offers E26 sockets spaced every 24" on center to create impressive lighting displays for events and facilities of all types. String across pergolas, shade structures or beams. Or use with a supporting cable to span distances over 50ft.

- Available in 48' and 100' lengths. (Length includes 1' lead and tail for the 48' and 100' lengths) end-to-end connectivity available.
- Suspended socket design with 4" drop. Includes an eyelet for optional cable wires to go through to provide additional support to hold up the string lights. The drop lowers the socket to help provide better illumination.
- 16 gauge wire. UV resistant wire and sockets resists sunlight exposure. Wire rated to 1200 watts.
- Soft edges to sockets ensure weather-tight seal around thread-in lamps.
- Adaptable for both indoor (interior) and outdoor (exterior) use.
- Designed for use with both the LED & Incandescent lamps.



S14 LED Bulb

### S14 CLASSIC "SIGN LAMP" SHAPE LED BULBS

Used in signs, marquees and in overhead string lights for decades, the shape of the Classic S14 sign lamp is timeless. Now you can get the look of those lamps in long-life, energy-efficient LED.

- Bulbs can be used for new installations or retrofits of existing installations.
- 1.1 watt consumption per bulb (compares to 11 watt S14 incandescent), only 10% of the normal consumption!
- Smooth, transparent appearance matches classic "Edison" lamps.
- Medium-base E26 socket.
- Each lamp contains 16 LEDs for maximum light output.
- Mix and match colors for special themes, events and more.



LED G40 Yellow

LED G50 Blue

### G40 EVENT SERIES LIGHTING BULBS (fit C7 socket wire)

Available in cool white, warm white, multi-color (red, orange, yellow, green, blue)

### G50 EVENT SERIES LIGHTING BULBS (fits C9 socket wire)

Available in cool white, warm white, multi-color (red, orange, yellow, green, blue)



Black Socket Wire

### STANDARD SOCKET WIRE

Kenney Outdoor Solutions offers the standard C9 socket wire in black or white for event lighting applications. White wire is ideal for weddings and events in tent structures. Black wire can be used in patio settings.





# KENNEY

## OUTDOOR SOLUTIONS

### Branch Locations

Grand Rapids, MI   Rochester Hills, MI   Indianapolis, IN

Fort Wayne, IN   Addison, IL

Lenexa, KS   Louisville, KY   St. Peters, MO



Wis./Illinois  
Veronica Krenzel  
630.234.5655

Indiana  
Cliff Hankins  
513.678.8475

Kansas  
Phil Gillman  
913.593.6335

Kentucky  
Michael Sloan  
502.664.7153

Michigan  
Mark Attard  
517.604.0231

Michigan  
Jon Wedge  
616.293.3236

Michigan  
Bill Marshall  
248.308.4233

Missouri  
Reed Klearman  
314.803.6298

[WWW.KENNEYOUTDOORSOLUTIONS.COM](http://WWW.KENNEYOUTDOORSOLUTIONS.COM)